References

Theme	Reference	Link
Equality	Public sector: quick start guide to the public sector Equality Duty	https://www.gov.uk/government/uploads/system/uploads/
		attachment data/file/85041/equality-duty.pdf
Cholesterol	Lipid modification. Cardiovasular risk assessment and the	http://www.nice.org.uk/cg67
test	modification of blood lipids for the primary and secondary	
	prevention of cardiovascular disease. NICE clinical guideline 67. May 2008 (reissued May 2010).	
	Statins for the prevention of cardiovascular events. NICE	http://www.nice.org.uk/nicemedia/pdf/TA094guidance.pdf
	Technology Appraisal 94. January 2006.	
Hypertension	Hypertension: clinical management of primary hypertension in	http://www.nice.org.uk/nicemedia/live/13561/56008/56008
	adults. NICE clinical guideline 127. August 2011.	<u>.pdf</u>
	Quick reference guide. Hypertension: clinical management of	http://www.nice.org.uk/nicemedia/live/13561/56015/56015
	primary hypertension in adults. NICE. August 2011	<u>.pdf</u>
	Hypertension: management of hypertension in adults in primary	http://www.nice.org.uk/nicemedia/pdf/cg034quickrefguide.
	care. NICE clinical guideline CG34: quick reference guide. June 2006.	<u>pdf</u>
	Hypertension: management of hypertension in adults in primary care. NICE clinical guideline CG34. June 2006	http://www.nice.org.uk/cg034
Diabetes	The Handbook for Vascular Risk Assessment, Risk Reduction and	www.screening.nhs.uk/vascular/VascularRiskAssessment
	Risk Management. A report prepared for the UK National	<u>.pdf</u>
	Screening Committee. University of Leicester. March 2008. Pages	
	120-122. (Provides additional advice on how to measure blood pressure using a standard sphygmomanometer, or a semi-	
	automated device and electronic device.	
	Use of Glycated Haemoglobin (HbA1c) in the Diagnosis of	http://www.who.int/diabetes/publications/report-
	Diabetes Mellitus. World Health Organisation. 2011. Abbreviated	hba1c 2011.pdf
	Report of a WHO Consultation. WHO/NMH/CHP/CPM/11.1.	
	Consensus statement: Use of haemoglobin A1c (HbA1c) in the	
	diagnosis of diabetes mellitus. The implementation of World Health	
	Organisation (WHO) guidance 2011, Practical Diabetes, 2011, 1, 12a	
	Preventing type 2 diabetes: risk identification and interventions for	http://publications.nice.org.uk/preventing-type-2-diabetes-

	individuals at high risk. NICE public health guidance 38. July 2012	risk-identification-and-interventions-for-individuals-at- high-risk-ph38
	Type 2 diabetes: The management of type 2 diabetes. NICE clinical guideline 66. December 2008.	http://www.nice.org.uk/nicemedia/pdf/cg66niceguideline.pdf
	NICE QS6 Diabetes in adults quality standard	http://publications.nice.org.uk/diabetes-in-adults-quality- standard-qs6
Alcohol	Alcohol-use disorders: preventing harmful drinking. NICE public health guidance 24. June 2010	http://www.nice.org.uk/ph24
	Alcohol Identification and Brief Advice e-Learning course	http://www.alcohollearningcentre.org.uk/eLearning
	Primary Care Service Framework: Alcohol Services in Parimary Care. NHS. May 2009	http://www.pcc.nhs.uk/alcohol
Near patient testing and	Management and Use of IVD Point of Care Test Devices. Device Bulletin 2002(03). Medical Devices Agency. March 2002. The	http://www.mhra.gov.uk/Publications/Safetyguidance/DeviceBulletins/CON071082
quality control	bulletin provides extensive guidance, including advice on clinical governance issues relating to the setting up and management of POCT, pathology and laboratoryinvolvement, staff training, health and safety, standard operating procedures and quality issues.	
	Buyers' guide: Blood glucose systems. Purchasing and Supply Agency, centre for Evidence-based Purchasing. May 2008.	
Smoking	Brief interventions and referral for smoking cessation in primary care and other settings. NICE Public Health Intervention Guidance no. 1. March 2006.	www.nice.org.uk/PHI001
	Local Stop Smoking services and monitoring guidance – 2012/13. September 2012. DH. Gateway reference: 17904.	https://www.gov.uk/government/publications/stop- smoking-service-monitoring-and-guidance-update- published
Physical Activity	Four commonly used methods to increase physical activity: brief interventions in primary care, exercise referral schemes, pedometers and community based exercise programmes for walking and cycling. NICE Public Intervention Guidance 2. March 2006	http://guidance.nice.org.uk/PH2/Guidance
	Start Active, Stay Active. A report on physical activity from the four home countries' Chief Medical Officers. Department of Health. July	https://www.gov.uk/government/publications/start-active- stay-active-a-report-on-physical-activity-from-the-four-

	2011	home-countries-chief-medical-officers
	Let's Get Moving: Commissioning Guidance – A physical activity care pathway. Department of Health. March 2012	https://www.gov.uk/government/publications/let-s-get-moving-revised-commissioning-guidance
Weight management	Obesity: guidance on the prevention, identification, assessment and management of overweight and obesity in adults and children. NICE guideline CG43. December 2006	http://www.nice.org.uk/nicemedia/pdf/CG43NICEGuideline.pdf
	Obesity: guidance on the prevention, identification, assessment and management of overweight and obesity in adults and children. Quick reference guide 2 for the NHS. NICE guideline CG43. December 2006	http://www.nice.org.uk/nicemedia/pdf/CG43quickrefguide 2.pdf
	Healthy Weight, Healthy Lives: A toolkit for developing local strategies. National Heart Forum et al. October 2008. This toolkit was produced to help PCTs and local authorities plan, coordinate and implement comprehensive strategies to prevent and manage overweight and obesity.	http://webarchive.nationalarchives.gov.uk/201301071053 54/http://www.dh.gov.uk/prod consum dh/groups/dh digi talassets/documents/digitalasset/dh 088967.pdf
Chronic Kidney Disease	Chronic kidney disease: National clinical guideline for early identification and management in adults in primary and secondary care. NICE clinical guideline 73. 24 September 2008.	http://www.nice.org.uk/nicemedia/pdf/CG073NICEGuideline.pdf